	Type	L #	Hits	Search Text	DBs
1	IS&R	L1	1518	(606/200).CCLS.	US- PGPUB; USPAT; EPO; JPO
2	BRS	L2	0	(filter and embolic and laminat\$3 and layer\$1 and different near thickness).clm.	US- PGPUB; USPAT; EPO; JPO
3	BRS	L3	5	(filter and embolic and laminat\$3 and layer\$1 and different near thickness)	US- PGPUB; USPAT; EPO; JPO
4	BRS	L4	28	(filter and embolic and laminat\$3 and layer\$1 and different same thickness)	US- PGPUB; USPAT; EPO; JPO
5	BRS	L5	6	(filter and embolic and layers and laminated) and (different same thickness)	US- PGPUB; USPAT; EPO; JPO
6	BRS	L6	9	(filter and embolic and layers and laminate) and (different same thickness)	US- PGPUB; USPAT; EPO;

		JE	0
			,
		·	
	,	·	

	Tin	ne	St	an	ιp
1	200 09:	)6/ 43	09	/2	2
2	200 09:	)6/ 45	09	/2	2
3	200 09:	)6/ 45	09	/2	2
4	200 09:	)6/ :46	09	/2	2
5	200 09:	6/	09	/2	2
6	200 09:			)/2	2